


Safety is Paramount

EPEC manufacture and supply explosion proof diesel engine systems (DES's) for both underground coal mining and surface hazardous environments. All of our units meet the most suitable standards for international use.

Protecting people, protecting assets



**5.9L
ATEX**

ABN: 60 151 437 624
ACN: 151 437 624

Explosion Proof Engine Company Pty Ltd
PO Box 369, Artarmon
NSW 1570, Australia
solutions@xplosionproof.com
xplosionproof.com




Engine by Cummins
Preferred Engine Partner



EPEC

EXPLOSION PROOF ENGINE COMPANY



**5.9L
ATEX**

130kW (177hp)

ATEX-certified for Hazardous Surface Environ-

xplosionproof.com

Fire Pumps ❄ Compressors ❄ Alternators ❄ Hydraulic Pumps ATEX-certified for Hazardous Surface Environments



ATEX Group II
ATEX Category 3
Zone 2 (BS EN 60079-10-1:2009)
Category 3G (BS EN 1834-1:2000)
Gas Group Sub-division IIB
(BS EN 60079-0:2009 & BS EN 1834-1:2000)
Temperature Class T3 (BS EN 1834-1:2000)



Designed for harsh and remote environments for maximum reliability and lower running costs...

- Suitable for high sulphur (500ppm) diesel
- Reduced maintenance requirements
- Dry exhaust cooler
- Simple mechanical Injection

ATEX 5.9 Litre

130kW (177hp) ATEX-certified for Hazardous Surface Environments

Fire Pumps ❖ Compressors ❖ Alternators ❖ Hydraulic Pumps
ATEX-certified for Hazardous Surface Environments



Base Engine: CUMMINS 6BTA5.9C180

Ratings/Performance

Cylinders: Six-In-Line

Aspiration: Turbocharged

Bore & Stroke: 102 x 120mm

Displacement: 5.9 litres

Model: EPEC5.9L-130-ATEX

Rated Power: 130kW @ 2200RPM

Rated Torque: 750Nm @ 1300RPM